

MEI

MINNESOTA ELEVATOR, INC.
19336 607th Ave
Mankato MN 56001
Ph (507) 245-3060 Fax: (507) 245-4193
An EOE/AA Employer

Hydraulic Freight Quote Request

Today's Date: _____

Quote Due Date: _____

Customer: _____

Job Name: _____

Contact: _____

Location: _____

Address: _____

Phone: _____ Fax: _____

- New Construction**
- Existing**

| JACK TYPE | | |
|--------------------------------------|---------------------------------------|--|
| <input type="checkbox"/> Borehole | <input type="checkbox"/> Cornerpost | |
| <input type="checkbox"/> Holeless | <input type="checkbox"/> Single Stage | <input type="checkbox"/> Twin Jack |
| <input type="checkbox"/> Roped Hydro | <input type="checkbox"/> Multi Stage | <input type="checkbox"/> Semi-holeless |

Capacity: _____

Class: _____

Landings: _____

Hatch Width: _____

Voltage: _____

Gross Weight: _____

Front Openings: _____

Hatch Depth: _____

Phase: _____

Travel: _____

Rear Openings: _____

Overhead: _____

2000 Harmonized Code Required

Speed: _____

Side Openings: _____

Pit Depth: _____

Electrical Rating: Hoistway: * NEMA 1

Other: _____

Machine Room: * NEMA 1

Other: _____

*** Indicates MEI standard materials**

HATCH MODULE

Include this section in quote

Platform: Width: _____ x Depth: _____
Finish Floor Thickness: _____

Floor Material: *Steel Checker Plate _____"
 Other _____

- Sling, Brace Rods, Fastener Package
- Pit Assembly / Spring Buffers
- Rail Guides: *Slide Roller Swivel
- Rail Brackets
- Limit Switch Package
- Car Top Station * Nylube _____
- 3 Maintenance Manuals / Engineering / Layout Drawings
- Other _____

Additional Features

- Seismic Application
- Government Submittal Package
- Special Paint _____
- Certified Engineer Drawings
- Rail Lubricators

CAB MODULE

Include this section in quote

Shell: * Steel Custom _____

Finish: * Enamel Stainless Steel (SS) #4 5SM Rigidized Other _____

Bumpers: 1 1/2" x 6" Oak 1 1/2" x 8" Oak 1 1/2" x 10" Oak 1 1/2" x 12" Oak
 3/8" x 3" SS #4 3/8" x 4" SS #4 1/4" x 4" SS #4 1/4" x 6" SS #4

Back Wall Side Wall

Canopy * Enamel w/ Recessed Fluorescent Lights
 Other _____

Cab Height: * 8 feet Other: _____

Emerg Light: * In Car Operating Panel In Cab Ceiling Incorporated into regular cab lighting

Finish Floor: * Checker Plate Other: _____

Options: Pads Hooks

Other _____

JOB NAME:

JACK MODULE

Include this section in quote

- Maximum Jack length _____
- Maximum Jack section length _____
- Maximum Pressure Allowed _____
- PVC Casing Sch 40 _____ Sch 80 _____

- Seamless Piston
- Seamless Cylinder
- * Factory Tape Wrap
- Other: _____

POWER UNIT MODULE

Include this section in quote

Additional Options

- * Submersible
- Dry
- Machine Room:
 - * Adjacent @ Lowest Level
 - Adjacent _____ feet above lowest level
 - Remote _____ feet from hoistway
- * 80 Starts /hr
- 120 Starts /hr

- Pre-mount Controller
- Oil Viscosity Switch
- Oil Level Sight Gauge
- Tank Heater
- Wagner Return Pump
- Other _____
- Oil Level Sensor
- Low Pressure Switch
- Load Weighing Switch
- Oil Cooler - MEI

PIPING MODULE

Include this section in quote

- * MEI Standard Package
- _____ Isolation Couplings
- Overspeed Valve
- Mainline Strainer
- Seamless Pipe
- Other _____
- Sch 80 Pipe

FREIGHT DOOR & GATE MODULE

Include this section in quote

- Number of Doors Required: _____ Hoistway Wall: _____ " Block Drywall
- Door Size: _____ x _____
- Power Doors Manual Doors
 - Auto Open Auto Close
- Door Finish: * Primed Enamel
- Stainless Steel #4 5SM Rigidized
- Gate Finish: * Primed Enamel 5SM Rigidized
- Stainless Steel #4
- Options: Full Height Gate Photo Eyes
- Other: _____

FIXTURE MODULE

Include this section in quote

- * MEI Swing Panel *Square Buttons Applied Panel Vandal Resistant Buttons
- Other: _____ Round Buttons
- * Stainless Steel #4 Other: _____
- Auxiliary Car Operating Panel
- Car Position Indicator 2" Digital Multi-light Other: _____
- Hall Position Indicator _____ 2" Digital Multi-light Other: _____
- Car Lantern
- _____ Hall Stations
- * Top Access Key ADA Handsfree Phone * In Use Lights
- * Bottom Access Key Phone Cabinet Photo Eye Keyswitch
- * Inspection Keyswitch Service Cabinet Emergency Light Test Button
- Fan Keyswitch 120 VAC Outlet Fireman's Phone Jack
- * Light Keyswitch Certificate Frame Card Reader Cut-out
- Engraving: _____ Other: _____

JOB NAME:

CONTROLLER MODULE

Include this section in quote

- | | | | |
|---------------|--|--|---|
| Manufacturer: | <input type="checkbox"/> * Vertitron Midwest, Inc | <input type="checkbox"/> Motion Control Engineering | <input type="checkbox"/> Other: _____ |
| Logic Type: | <input type="checkbox"/> * Microprocessor | | |
| Operation: | <input type="checkbox"/> Selective Collective | | <input type="checkbox"/> Call-Send |
| | <input type="checkbox"/> * Simplex | <input type="checkbox"/> Duplex | <input type="checkbox"/> Group |
| Starter: | <input type="checkbox"/> * Wye Delta | <input type="checkbox"/> X-Line | <input type="checkbox"/> Electronic Soft Start |
| Features: | <input type="checkbox"/> * Phase I & II Fire Service | <input type="checkbox"/> Oil Viscosity | <input type="checkbox"/> Hospital Service |
| | <input type="checkbox"/> * Independent Service | <input type="checkbox"/> PET - Hand Held Diagnostic | <input type="checkbox"/> EMT-Code Blue |
| | <input type="checkbox"/> * Low Oil Circuitry | <input type="checkbox"/> * On-Board Diagnostics | <input type="checkbox"/> Homing |
| | <input type="checkbox"/> * Reverse Phase Detector | <input type="checkbox"/> Keyed Security <input type="checkbox"/> Car <input type="checkbox"/> Hall | <input type="checkbox"/> Attendant Operation |
| | <input type="checkbox"/> * Tape Selector | <input type="checkbox"/> Vane Selector | <input type="checkbox"/> Inconspicuous Riser |
| | <input type="checkbox"/> Battery Lowering | <input type="checkbox"/> Emer. Generator Interface | <input type="checkbox"/> Lobby Panel Interface |
| | <input type="checkbox"/> Load Weighing | <input type="checkbox"/> CRT-Computer Monitor System | <input type="checkbox"/> Main-line Potential Switch |
| | | <input type="checkbox"/> Other: _____ | |

WIRING MODULE

Include this section in quote

- * MEI Standard Package w/ 3 pair shielded cable
- Additional _____ pair shielded cable
- Coaxial Cable - RG59U


RAIL MODULE

Include this section in quote


T-Shaped Rails are Provided

ELEVATOR DATA

Include this section in quote



Enter floor markings & travel for each floor served



Standard MEI Exceptions

- | | | | |
|------------------|----------------------|--------------------------|------------------------|
| No Sill Supports | No Jack Casing | No Freight Door Frames | No Smoke Detection |
| No Oil | No Power Disconnects | No Finish Floor Covering | No Rail Backing |
| No Inserts | No Intercom System | No Pit Ladder | No Cathodic Protection |
| No Fire Signs | | | |