



TOTAL ELEVATOR SOLUTIONS

19336 607th Ave
Mankato MN 56001
Ph (507) 245-3060 Fax: (507) 245-4193
An EOE/AA Employer

Today's Date: _____

Quote Due Date: _____

Customer: _____
Contact: _____
Address: _____
Phone: _____ Fax: _____
Email: _____

Job Name: _____
Location: _____

- [] New Construction
[] Modernization

Capacity: _____
Class of _____
Loading: _____ Landings: _____ Hoistway Width: _____ Overhead: _____
Gross Weight: _____ Front Openings: _____ Hoistway Depth: _____ Pit Depth: _____
Travel: _____ Rear Openings: _____ Platform Width: _____ Voltage: _____
Speed: _____ Side Openings: _____ Platform Depth: _____ Phase: _____

Electrical Rating: Hoistway: [] * NEMA 1 [] NEMA: _____ Code: [] ASME 17.1 _____ (yr)
Machine Room: [] * NEMA 1 [] NEMA: _____ [] IBC _____
[] Other Codes _____

* Indicates MEI standard materials

Section #06B HOISTWAY MODULE

[] INCLUDE THIS SECTION IN QUOTE

Platform Finish Floor Thickness: _____ weight _____ Sq.Ft [] *Steel Checker Plate _____"
[] Other: _____

- [] Sling, Brace Rods, Painted Black [] Others: _____
[] Spring Buffers [] Oil Buffers [] Seismic Zone _____ (2,3,4)
[] Rail Guides: [] *Slide [] * Roller [] Swivel [] Government Submittal Package
[] Limit Switch Package, Car Station [] Certified Engineer Stamp on Drawings
[] Maintenance Manuals [] Under car light with outlet
[] Other: _____

SECTION #07A TRACTION MACHINE MODULE

[] INCLUDE THIS SECTION IN QUOTE

- Machine Location: [] Overhead [] Basement [] Adjacent at top landing
Roping: [] 1:1 [] 2:1 [] Rope Gripper
Drive: [] VV/VF/AC [] DC-SCR [] Encoder / Tachometer
Equipment: [] Machine [] Hoist Motor [] Rope Shackles (Wedge-Type)
[] Main Ropes [] Governor Rope
[] Governor / Tension Weight [] Sheaves
[] Car Safety [] Type A [] Type B
[] Counterweight Safety [] Type A [] Type B (Required if Occupied Space Below Hoistway)
[] Counterweight Frame [] Counterweight Filler Weights

Other: _____

CONTROLLER MODULE **INCLUDE THIS SECTION IN QUOTE**

- Manufacturer: * Elevator Control Corp. GAL Motion Control Engineering
 Operation: * Selective-Collective * Single Automatic Pushbutton Call-Send
 * Simplex Duplex Group
 Features: * Phase I & II Fire Service * Independent Service * Nudging
 * Tape Selector Homing Hospital Service (Passenger Only)
 * On-Board Diagnostics * Reverse Phase Detector EMT -Code Blue (Passenger Only)
 Hand Held Diagnostic Emergency Generator Interface Lobby Panel Interface
 Load-Weighing Inconspicuous Riser Monitor System Interface
 Card-Reader Interface Isolation Transformer
 Other: _____

CAB MODULE **Include this section in quote**

- Shell: * Steel Custom _____
 Finish: * Enamel #4 Textured (5 SM Rimex) Other _____
 Stainless Steel (SS) 1 1/2" x 8" Oak 1 1/2" x 10" Oak 1 1/2" x 12" Oak
 Bumpers: 1 1/2" x 6" Oak 3/8" x 3" SS #4 3/8" x 4" SS #4 1/4" x 4" SS #4 1/4" x 6" SS #4
 Back Wall Side Wall
 Canopy * Enamel w/ Recessed Fluorescent Lights
 Other _____
 Cab Height: * 8 feet Other: _____
 Emerg Light: * In Car Operating Panel Incorporated into regular cab lighting
 Finish Other: _____
 Floor: * Checker Plate Thickness: _____"
 Options: Pads and Hooks Other: _____
 Fan

FREIGHT DOOR & GATE MODULE **Include this section in quote**

- Number of Doors Required: _____ Hoistway Wall Thickness _____" Block Drywall
 Door Size: _____ x _____
 Power Doors (includes light curtain) Manual Doors
 Auto Open Auto Close
 Door Finish: * Enamel Powder Coat Stainless Steel Construction
 #4 S/S Finish Textured (5 SM Rimex)
 Gate Finish: Enamel Power Coat Stainless Steel Wire Mesh 2B Mill Finish
 #4 S/S Finish Textured (5 SM Rimex)
 Options: Full Height Gate Solid Panel Gate #4 S/S Finish Textured (5 SM Rimex)
 Other: _____

FIXTURE MODULE **INCLUDE THIS SECTION IN QUOTE**

- Type: * MEI Tilt Panel (Pass only) Stationary (Applied) Panel (Frt only) Full Swing (Pass only)
 Style: * Square Buttons Round Buttons Vandal-Resistant Buttons
 Finish: * Stainless Steel Bronze * #4 #8
 Features: * Car Position Indicator (Pass only)
 Hall Position Indicator(s): Qty: _____
 * Car Lantern(s) (Pass only) Hall Lanterns (Pass only) Certificate Frame
 * Hall Stations EMT Service – Code Blue (Pass only) Hospital Service (Pass only)
 * ADA Hands-Free Phone Service Cabinet Photo-Eye Keyswitch
 * Top Access Keyswitch Independent Service Keyswitch * Bottom Access Keyswitch
 Emergency Light Test Button 120 VAC Outlet * Inspection Keyswitch
 Card-Reader Cut-Out Fireman's Phone Jack * Light Keyswitch
 * Fan Keyswitch Special Engraving: _____
 Auxiliary Car Operating Panel *NEMA 1 (or other NEMA Ratings) _____
 Other: _____

WIRING MODULE

INCLUDE THIS SECTION IN QUOTE


- * MEI Standard Package w/3 Pair Shielded Cable
- Additional Pair Shielded Quantity: _____
- Coaxial Cable Quantity: _____
- Other :

RAIL MODULE

Include this section in quote

T-Shaped Rails are Provided

ELEVATOR DATA



Enter floor markings & travel for each floor served

Overhead		
12		12
11		11
10		10
9		9
8		8
7		7
6		6
5		5
4		4
3		3
2		2
1		1
Pit Depth		
	Front	Rear

- Arch Prints Available: Yes No
- Shared Hoistway Yes No