

Today's Date: _____

Quote Due Date: _____

Customer: _____
Contact: _____
Address: _____
Phone: _____ Fax: _____
Email: _____

Job Name: _____
Location: _____

- New Construction
- Modernization

Capacity: _____
Class of _____
Loading: _____ Landings: _____ Hoistway Width: _____ Overhead: _____
Gross Weight: _____ Front Openings: _____ Hoistway Depth: _____ Pit Depth: _____
Travel: _____ Rear Openings: _____ Platform Width: _____ Voltage: _____
Speed: _____ Side Openings: _____ Platform Depth: _____ Phase: _____

Electrical Rating: Hoistway: * NEMA 1 NEMA: _____ Code: ASME A17.1 _____ (yr)
Machine Room: * NEMA 1 NEMA: _____ IBC _____
 Other Codes _____

* Indicates MEI standard materials

Section #06A **HOISTWAY MODULE**

INCLUDE THIS SECTION IN QUOTE

- Platform subfloor material: _____ * 1 Layer 3/4" Plywood
 - Platform Finish Floor Thickness: _____ weight _____ sq. ft (F/F by others) Other: _____
 - Sling, Painted Black Other: _____
 - Spring Buffers Oil Buffers Seismic Zone _____ (2,3,4)
 - Rail Guides: Slide * Roller Swivel Government Submittal Package
 - Limit Switch Package, Car Top Station Certified Engineer Stamp on Drawings
 - Maintenance Manuals Under car light with outlet
 - Other: _____ Platform Isolation Full Partial
- Isolation Standards: 6000 lbs. or Less - Fully Isolated
Over 6000 lbs. - Partially Isolated to 10,000 lbs

Section #07B **TRACTION MRL MACHINE ROOM**

INCLUDE THIS SECTION IN QUOTE

- Overhead 21 Hollister Whitney MRL Gearless Machine

Section #09B

MRL CONTROLLER MODULE

INCLUDE THIS SECTION IN QUOTE

- Manufacturer: *GAL Elevator Control Corp. Motion Control Engineering
- Operation: * Selective-Collective * Single Automatic Pushbutton Call-Send
- *Simplex Duplex Group
- Features: * Phase I & II Fire Service * Independent Service * Nudging
- * Tape Selector Homing Hospital Service (Passenger Only)
- *On-Board Diagnostics *Reverse Phase Detector EMT -Code Blue (Passenger Only)
- Hand Held Diagnostic Emergency Generator Interface Lobby Panel Interface
- Load-Weighing Inconspicuous Riser Monitor System Interface
- Card-Reader Interface Isolation Transformer
- Other: _____
- Controller Location Landing _____ Remote From Hoistway _____

SECTION #19

ENTRANCE MODULE

INCLUDE THIS SECTION IN QUOTE

- Hoistway Wall Thickness: _____ " Block Drywall
- Jamb Construction: * Bolted Welded / Mitered Other: _____
- Jamb Finish: * Enamel / Primed Stainless Steel Bronze #4
- Door Finish: * Enamel / Primed Stainless Steel Bronze #4
- Sills: *Aluminum Nickel-Silver Bronze Stainless Steel
- *Groutless Sill
- Miscellaneous: Sound-Deaden Doors Sound-Deaden Frames Weather-Stripping
- Others: _____

SECTION #20

DOOR EQUIPMENT MODULE

INCLUDE THIS SECTION IN QUOTE

- *GAL (MOVFR) GAL (MOD) GAL (MOVFR W-Weather Resistant)
- Other: _____

SECTION #21

DOOR PROTECTION MODULE

INCLUDE THIS SECTION IN QUOTE

- *Adams "Gatekeeper" Janus Panaforty Plus 3-D Protection
- Others: _____

SECTION #14

FIXTURE MODULE

INCLUDE THIS SECTION IN QUOTE

- Type: * MEI Tilt Panel (Pass only) Stationary (Applied) Panel (Frt only) Full Swing (Pass only)
- Style: * Square Buttons Round Buttons Vandal-Resistant Buttons
- Finish: * Stainless Steel Bronze * #4 #8
- Features: * Car Position Indicator (Pass only)
- Hall Position Indicator(s): Qty: _____
- * Car Lantern(s) (Pass only) Hall Lanterns (Pass only) Certificate Frame
- * Hall Stations EMT Service – Code Blue (Pass only) Hospital Service (Pass only)
- *ADA Hands-Free Phone Service Cabinet Photo-Eye Keyswitch
- * Top Access Keyswitch Independent Service Keyswitch * Bottom Access Keyswitch
- Emergency Light Test Button 120 VAC Outlet * Inspection Keyswitch
- Card-Reader Cut-Out Fireman's Phone Jack * Light Keyswitch
- * Fan Keyswitch Special Engraving: _____
- Auxiliary Car Operating Panel *NEMA 1 (or other NEMA Ratings) _____
- Other: _____

CAB MODULE

Overall Size

Platform Width: _____ x Depth: _____

Finished Floor Material/Thickness: _____

Cab Height: _____

Wall Configurations

Service Cab (Steel Shell)

Painted: _____ (choose from our standard paint colors or choose your own)

Metal: _____ (brushed, polished, or patterned stainless; brushed bronze)

Plastic Laminate

Laminate: _____ (choose from our plastic laminate chart)

Removable/Applied Panels

Removable Panel Applied Panel

Panel Finish: _____ (choose from our laminate chart or metal finishes)

Reveal/Frieze/Base: _____ (paint or metal finish, same options as steel shell service cab)

Glass Wall (s) (add to one of the cabs above) Rear 1 Side 2 Sides Front

Frame Finish: _____ (brushed stainless, aluminum)

Door Configuration

Front Only Front & Rear Front & Side Single-Speed Two-Speed

Opening: Right-Hand Left-Hand Center

Door Opening Width: _____ x Height: _____

Door Finish: _____ (painted; plastic laminate; brushed, polished, or patterned stainless; brushed bronze)

Transom, Return, & Jamb Finish: _____ (painted; brushed, polished, or patterned stainless; brushed bronze)

COP

Full Swing Return Swing Panel Tilt Applied

Quantity: _____

COP Location: Return Side Wall

Handrails

Location: Rear Wall Side Walls

Type: Round Flat Wood

Returned Ends: Yes No (for round or flat)

Handrail Size: _____ (see table below)

Material: _____ (brushed stainless or bronze for round or flat, maple or oak for wood)

Table with 2 columns: Handrail Type (Round, Flat, Wood) and Size options.

Bumpers

Flat With Returned Ends Straight Ends

Wood

Bumper Size: _____ (see table below)

Material: _____ (brushed stainless for flat, maple or oak for wood)

Number of Bumper Rows: _____

Table with 2 columns: Bumper Type (Flat, Wood) and Size options.

Ceiling/Lighting

Aluminum Frame Ceiling

w/Lexan Diffusers w/Eggcrate Diffusers Fluorescent Lights LED Lights

Downlight Island Ceiling

Finish: _____ (painted; plastic laminate; brushed or polished stainless; brushed bronze)

High Voltage Incandescent Lights

Low Voltage Halogen Lights

Perimeter Lighting

Cove/Trough Lighting

Fluorescent Lights Recessed in Canopy High Voltage Lights Recessed in Canopy Low Voltage Lights Recessed in Canopy

Sill

Aluminum Nickel Silver Bronze Stainless Steel

WIRING MODULE

Section #17

INCLUDE THIS SECTION IN QUOTE

- * MEI Standard Package w/3 Pair Shielded Cable
- Additional Pair Shielded Quantity: _____
- Coaxial Cable Quantity: _____
- Other : _____

RAIL MODULE


Section #18

Include this section in quote

T-Shaped Rails are Provided

ELEVATOR DATA

SECTION #22



Enter Floor Markings & Travel for Each Floor Served

Overhead		
12		12
11		11
10		10
9		9
8		8
7		7
6		6
5		5
4		4
3		3
2		2
1		1
Pit Depth		
	Front	Rear

Arch. Prints Available? Yes No

Shared Hoistway Yes No